










# Contra Costa County – Chlamydia, Gonorrhea, and P&S Syphilis

## Rates by Age Group (2004), Race/Ethnicity (2004), and Year



■ Female □ Male

— Female - - Male

\* Race data may be missing for a substantial number of cases. See the "Data Limitations" page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



# Contra Costa County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2004

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population <sup>2</sup>	
	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Number	Percent <sup>1</sup>
<b>COUNTY TOTAL</b>	<b>2,726</b>	<b>100.0%</b>	<b>268.2</b>	<b>736</b>	<b>100.0%</b>	<b>72.4</b>	<b>12</b>	<b>100.0%</b>	<b>1.2</b>	<b>10</b>	<b>100.0%</b>	<b>1.0</b>	<b>1,018,666</b>	<b>100.0%</b>
<b>Female Total</b>	<b>2,043</b>	<b>74.9%</b>	<b>392.0</b>	<b>391</b>	<b>53.1%</b>	<b>75.0</b>	<b>0</b>	<b>0.0%</b>	<b>0.0</b>	<b>1</b>	<b>10.0%</b>	<b>0.2</b>	<b>521,237</b>	<b>51.2%</b>
Ages 0 - 9	9	0.4%	13.4	1	0.3%	1.5	0	0.0%	0.0	0	0.0%	0.0	67,152	12.9%
10 - 14	44	2.2%	113.8	14	3.6%	36.2	0	0.0%	0.0	0	0.0%	0.0	38,662	7.4%
15 - 19	755	37.5%	2,061.2	142	36.8%	387.7	0	0.0%	0.0	0	0.0%	0.0	36,630	7.0%
20 - 24	704	35.0%	2,429.8	130	33.7%	448.7	0	0.0%	0.0	1	100.0%	3.5	28,974	5.6%
25 - 29	264	13.1%	1,004.5	41	10.6%	156.0	0	0.0%	0.0	0	0.0%	0.0	26,281	5.0%
30 - 34	115	5.7%	331.3	18	4.7%	51.9	0	0.0%	0.0	0	0.0%	0.0	34,708	6.7%
35 - 44	97	4.8%	111.8	32	8.3%	36.9	0	0.0%	0.0	0	0.0%	0.0	86,760	16.6%
45+	23	1.1%	11.4	8	2.1%	4.0	0	0.0%	0.0	0	0.0%	0.0	202,070	38.8%
Not Specified	32	1.6%	-	5	1.3%	-	0	0.0%	-	0	0.0%	-	-	-
<b>Male Total</b>	<b>680</b>	<b>24.9%</b>	<b>136.7</b>	<b>345</b>	<b>46.9%</b>	<b>69.4</b>	<b>12</b>	<b>100.0%</b>	<b>2.4</b>	<b>9</b>	<b>90.0%</b>	<b>1.8</b>	<b>497,429</b>	<b>48.8%</b>
Ages 0 - 9	1	0.2%	1.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	70,137	14.1%
10 - 14	5	0.8%	12.3	2	0.6%	4.9	0	0.0%	0.0	0	0.0%	0.0	40,628	8.2%
15 - 19	154	23.3%	397.7	56	16.6%	144.6	0	0.0%	0.0	1	11.1%	2.6	38,727	7.8%
20 - 24	225	34.0%	716.9	89	26.4%	283.6	1	8.3%	3.2	1	11.1%	3.2	31,386	6.3%
25 - 29	122	18.4%	462.9	76	22.6%	288.3	4	33.3%	15.2	0	0.0%	0.0	26,358	5.3%
30 - 34	51	7.7%	153.8	35	10.4%	105.5	1	8.3%	3.0	0	0.0%	0.0	33,168	6.7%
35 - 44	77	11.6%	93.4	57	16.9%	69.2	4	33.3%	4.9	5	55.6%	6.1	82,416	16.6%
45+	27	4.1%	15.5	22	6.5%	12.6	2	16.7%	1.1	2	22.2%	1.1	174,609	35.1%
Not Specified	18	2.6%	-	8	2.3%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population <sup>2</sup>	
	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Number	Percent <sup>1</sup>
<b>COUNTY TOTAL</b>	<b>2,726</b>	<b>100.0%</b>	<b>268.2</b>	<b>736</b>	<b>100.0%</b>	<b>72.4</b>	<b>12</b>	<b>100.0%</b>	<b>1.2</b>	<b>10</b>	<b>100.0%</b>	<b>1.0</b>	<b>1,018,666</b>	<b>100.0%</b>
<b>Female Total</b>	<b>2,043</b>	<b>74.9%</b>	<b>392.0</b>	<b>391</b>	<b>53.1%</b>	<b>75.0</b>	<b>0</b>	<b>0.0%</b>	<b>0.0</b>	<b>1</b>	<b>10.0%</b>	<b>0.2</b>	<b>521,237</b>	<b>51.2%</b>
American Indian/Alaska Native	1	0.1%	27.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,659	0.7%
Asian/Pacific Islander	38	5.7%	54.8	3	2.0%	4.3	0	0.0%	0.0	0	0.0%	0.0	69,294	13.3%
Black/African-American	288	42.9%	561.5	83	54.2%	161.8	0	0.0%	0.0	0	0.0%	0.0	51,291	9.8%
Latino/Hispanic	119	17.7%	114.8	13	8.5%	12.5	0	0.0%	0.0	1	100.0%	1.0	103,647	19.9%
White	226	33.6%	80.9	54	35.3%	19.3	0	0.0%	0.0	0	0.0%	0.0	279,228	53.6%
Other/Multi/Not Specified	1,371	67.1%	-	238	60.9%	-	0	0.0%	-	0	0.0%	-	14,118	2.7%
<b>Male Total</b>	<b>680</b>	<b>24.9%</b>	<b>136.7</b>	<b>345</b>	<b>46.9%</b>	<b>69.4</b>	<b>12</b>	<b>100.0%</b>	<b>2.4</b>	<b>9</b>	<b>90.0%</b>	<b>1.8</b>	<b>497,429</b>	<b>48.8%</b>
American Indian/Alaska Native	0	0.0%	0.0	1	0.7%	28.6	0	0.0%	0.0	0	0.0%	0.0	3,502	0.7%
Asian/Pacific Islander	13	5.2%	20.8	5	3.3%	8.0	0	0.0%	0.0	0	0.0%	0.0	62,419	12.5%
Black/African-American	119	47.4%	266.2	70	45.8%	156.6	0	0.0%	0.0	0	0.0%	0.0	44,711	9.0%
Latino/Hispanic	51	20.3%	46.9	26	17.0%	23.9	3	30.0%	2.8	5	62.5%	4.6	108,856	21.9%
White	68	27.1%	25.7	51	33.3%	19.3	7	70.0%	2.7	3	37.5%	1.1	264,148	53.1%
Other/Multi/Not Specified	429	63.1%	-	192	55.7%	-	2	16.7%	-	1	11.1%	-	13,793	2.8%

P&S Syphilis Males Cases	2002		2003		2004	
	#	%	#	%	#	%
Total Males Cases	10		17		12	
▶ MSM Cases	9	90.0%	17	100.0%	7	58.3%
▶▶ HIV Positives among MSM	7	77.8%	6	35.3%	2	28.6%

<sup>1</sup> Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

<sup>2</sup> Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Contra Costa County, the July 1, 2004 estimate is 1,016,302).

Note: Rates are per 100,000 population.

